


U-36PZH3E5



Unit: mm

①	Mounting hole (4-R6.5), anchor bolt : M10
②	Refrigerant tubing (liquid tube), flared connection (Ø6.35)
③	Refrigerant tubing (gas tube), flared connection (Ø12.7)




Wall Mounted Type S-5010PK4E


unit :mm



Minimum space requirements for installation



Detailed view B



Detailed view C

①	Refrigerant tubing (liquid tube) S-2545PK4E : Ø6.35 S-5010PK4E : Ø9.52 (Ø6.35)
②	Refrigerant tubing (gas tube) S-2545PK4E : Ø12.7 S-5010PK4E : Ø15.88 (Ø12.7)
③	Drain hose
④	Rear panel
⑤	Rear panel fixing holes (Ø5.0 holes or as shown in figure "C")
⑥	Tubing and wiring holes (Ø70)

Outdoor PZ3 and PZH3 series (Type 50 and 60)	Outdoor PZ3 series (Type 71)
Connect the liquid socket tube B (ø6.35 - ø9.52) to the liquid tubing side indoor unit Connect the gas socket tube A (ø12.7 - ø15.88) to the gas tubing side indoor unit	Connect the liquid socket tube B (ø6.35 - ø9.52) to the liquid tubing side indoor unit

CZ-RTC6BL

